



# Part Number DM-HPMB-25-102

## GaN Power Amplifier

Rev B  
3/29/2016

### Electrical Specifications (+25°C):

Frequency:	0.5 to 6 GHz
Small Signal Gain:	50 dB min
Gain Var. Over Temp	-0.05 dB/°C typical
Psat @ 0dBm Input:	43 dBm min
Psat @ 0dBm Input:	25 W typical
Noise Figure:	4 dB max
DC Power:	50 VDC, 2.3 A nom at Psat
PAE:	20 % typical
VSWR (Input/Output):	2.0:1/4.0:1 nom
Harmonics:	-15 dBc typical @ Psat
Spurious:	-70 dBc typical
Input Power Handling:	12 dBm max
Mismatch Handling:	5.0:1 max
Operation:	CW

### Features:

DC On/Off:	1µs; TTL Logic-Low "0V": ON; High "5V": OFF
Over Temp Shutdown:	at +70°C
Current Monitoring:	Included

### Mechanical Specifications:

Size (L x W x H):	2.5 x 2.75 x 0.45 inches
Connectors (In/Out):	SMA (f)/SMA (f)
Sealing:	Hermetic
Finish:	Grey Paint, Mounting surface Ni finish
Marking:	Black per MIL-STD-130
Cooling:	External heatsink
Outline:	001-0003

### Classification:

ECCN:	EAR99
-------	-------



## Delta Microwave

300 Del Norte Blvd. Phone: 805.751.1100 email: sales@deltamicrowave.com  
Oxnard, CA. 93030 Fax: 805.240.9544 www.deltamicrowave.com

Delta Microwave's Quality Management System has been assessed by NSF-ISR and found to be in conformance with AS9100:2009, Rev. C. Delta Microwave reserves the right to change specifications without notice. Please verify specification revision upon order placement.



# Part Number DM-HPMB-25-102

## GaN Power Amplifier

Rev B  
3/29/2016

### Environmental Specifications (by design):

Operating Temperature:	-40 to +60°C
Storage Temperature:	-54 to +85°C
Relative Humidity:	IAW MIL-STD-810F, up to 95%
Altitude:	up to 30,000 ft
Vibration:	IAW MIL-STD-810F, Method 514.5, Table 514.5-I,
Shock:	IAW MIL-STD-202G method 214, condition C
Salt Fog:	5%, +35°C 96 hrs IAW MIL-STD- 810G method
Fungus:	IAW MIL-STD-810G method 508.6

### Test Data:

Gain, Psat, VSWR, DC Power at +25°C



Registered  
to AS9100  
(with ISO 9001)

## Delta Microwave

300 Del Norte Blvd.  
Oxnard, CA. 93030

Phone: 805.751.1100  
Fax: 805.240.9544

email: sales@deltamicrowave.com  
www.deltamicrowave.com

Delta Microwave's Quality Management System has been assessed by NSF-ISR and found to be in conformance with AS9100:2009, Rev. C. Delta Microwave reserves the right to change specifications without notice. Please verify specification revision upon order placement.